

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER OF PATENTS AND TRADEMARKS Washington, D.C. 20231 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/814,403	03/22/2001	Yihua Chang	11302-1190 (44040-256047)	3830
29843	7590 11/05/2002			
JOHN S. PRATT			EXAMINER	
KILPATRICK STOCKTON LLP (KIMBERLY CLARK) 1100 PEACHTREE STREET			WILSON, DONALD R	
SUITE 2800			ART UNIT	PAPER NUMBER
ATLANTA, C	3A 30309		1713	10
		DATE MAILED: 11/05/2002 / C		

Please find below and/or attached an Office communication concerning this application or proceeding.



UNITED STATES DEPAREMENT OF COMMERCE Patent and Trademark Sifice

Address: ASSISTANT COMMISSIONER FOR PATENTS

Washington, D.C. 20231

(v)

APPLICATION NO./
CONTROL NO.

FILING DATE

FIRST NAMED INVENTOR /
PATENT IN REEXAMINATION

EXAMINER

ART UNIT

PAPER

10

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner of Patents and Trademarks

The reply filed on 9/30/02 is not fully responsive to the prior Office Action because of the following omission(s) or matter(s): A single ultimate disclosed specie of (a) a triggerable or ion-specific cationic polymer, and (b) a non-cross-linked co-binder polymer, was not elected as is required for the elected Group I inventions. See 37 CFR 1.111. Since the above-mentioned reply appears to be bona fide, applicant is given ONE (1) MONTH or THIRTY (30) DAYS from the mailing date of this notice, whichever is longer, within which to supply the omission or correction in order to avoid abandonment. EXTENSIONS OF THIS TIME PERIOD MAY BE GRANTED UNDER 37 CFR 1.136(a).

Applicant also did not respond to the request to identify from among the 480 submitted references submitted, those most closely related to the instantly claimed invention to which the Examiner should direct his primary attention. The request is herein repeated.

D. R. Wilson Primary Examiner Art Unit: 1713